

sentinel[®] *flavor*
tabs[®]
(milbemycin oxime + lufenuron)

SHE SINGS ALONG
TO EVERY SONG...

JUST *like* **YOU**



Protect your best friend with the
**5-IN-1 HEARTWORM MEDICINE
THAT USES LUFENURON TO STOP
FLEAS BEFORE THEY START.**

Prevention. Protection. POWERED BY LUFENURON.

Virbac

Shaping the future of animal health

WHY WAIT TO TREAT... WHEN YOU CAN PREVENT BOTH FLEAS AND HEARTWORMS AT THE SAME TIME?

Don't wait for parasites to become a problem.

Some pet owners don't worry about parasites until they find one on their dog or in their home.

But, by the time you find one of those nasty pests, it may be too late.

Take action against parasites
before they take over.



HE LIKES A LITTLE
FRIENDLY COMPETITION...

Waiting to take action could mean...

- ▶ Your dog gets sick
- ▶ Your dog has to receive painful heartworm treatment
- ▶ Your house becomes infested with fleas
- ▶ You have to pay expensive veterinary bills
- ▶ You and your dog have to deal with the stress of treatment

Preventing fleas and heartworms can help...

- ▶ Stop problems before they happen
- ▶ Save you money by avoiding costly treatments
- ▶ Spare you the hassle of exterminating a pest problem
- ▶ Stop the spread of disease to other animals

See how easy it can be...

COVER 5 DIFFERENT PARASITES WITH 1 CRUNCHY TABLET.

**SENTINEL® (milbemycin oxime/lufenuron)
FLAVOR TABS® protect your dog
both inside and out.**



 FLEAS*



 HEARTWORMS



 WHIPWORMS



 ROUNDWORMS



 HOOKWORMS[†]

*Prevents flea eggs and maggot-like larvae from developing; does not treat adult fleas.

†*A. caninum*.

Dogs should be tested for heartworm prior to use. In a small percentage of treated dogs, digestive, neurologic, and skin side effects may occur. Please see full product insert for more information, or visit www.sentinelpet.com.



SHE KNOWS HOW IT ENDS, BUT
CAN'T WAIT TO READ IT AGAIN...

**Available in a tasty, crunchy, pork-liver
flavored tablet that dogs love.¹**

Parasite protection
that tastes great!



**Flea and heartworm prevention
is simple. Treatment is hard!**

With SENTINEL FLAVOR TABS, you can prevent and control parasites with just one tablet every 30 days.¹
That's just 12 tablets per year!




**Year-round protection is
the key to a lasting friendship!**

Prevention. Protection. POWERED BY LUFENURON.

FLEA PREVENTION... POWERED BY LUFENURON.

Young fleas — the real flea problem.

Adult fleas only make up 5% of the flea population. The remaining 95% may be developing in your carpets, floorboards, furniture, and even your bed!



Dogs should be tested for heartworm prior to use. In a small percentage of treated dogs, digestive, neurologic, and skin side effects may occur. Please see full product insert for more information, or visit www.sentinelpet.com.



SHE'S UP FOR ANYTHING
OR ABSOLUTELY NOTHING...

SENTINEL® (milbemycin oxime/lufenuron) FLAVOR TABS® stop fleas before they start.

Unlike other flea products that treat adult fleas, SENTINEL FLAVOR TABS target flea eggs and maggot-like larvae with a special ingredient called lufenuron.

And, it has been safely prescribed for over 20 years!



SENTINEL FLAVOR TABS

stop young fleas from maturing, which eliminates infestations at the source.

Scan the QR code to learn
“The Dirty Truth” about what could be
creeping in your home, or visit
www.sentinelpet.com/click-play-learn.



FRIENDS DON'T LET FRIENDS GET WORMS.

Heartworms – a serious risk to every dog.

Each year, heartworm infection is diagnosed in nearly 300,000 indoor and outdoor dogs across all 50 states.² If left untreated, heartworms can cause heart and lung damage and even death.

One bite from one mosquito is all it takes.²

 An infected mosquito bites a dog and transmits young heartworms called larvae

 Heartworm larvae develop into adults in the dog's heart and lungs

 Adult heartworms affect blood flow and the ability to breathe, which can be fatal

Dogs should be tested for heartworm prior to use. In a small percentage of treated dogs, digestive, neurologic, and skin side effects may occur. Please see full product insert for more information, or visit www.sentinelpet.com.



Protect your dog from whipworms, roundworms, and hookworms.

If left untreated, these common parasites can cause severe health problems.



- BLOODY DIARRHEA
- DEHYDRATION
- WEIGHT LOSS
- DEATH



- WEIGHT LOSS
- BLOATED BELLY
- VOMITING
- DIARRHEA



- WEIGHT LOSS
- BLOOD LOSS
- DIARRHEA
- DEATH

*A. caninum.

Each monthly dose of
SENTINEL® FLAVOR TABS®
(milbemycin oxime/lufenuron)
**will help you prevent fleas and heartworms
and protect against 3 intestinal parasites.**

sentinel^{flavor} tabs[®]

(milbemycin oxime + lufenuron)

The following information is not comprehensive. Consult your veterinarian before using Sentinel[®] Flavor Tabs[®].

Caution

Federal (USA) law restricts this drug to use by or on the order of a licensed veterinarian.

Warnings

Not for human use. Keep this and all drugs out of the reach of children.

Indications

SENTINEL FLAVOR TABS are indicated for use in dogs and puppies, four weeks of age and older, and two pounds body weight or greater for the prevention of heartworm disease caused by *Dirofilaria immitis*, the prevention and control of flea populations, the control of adult *Ancylostoma caninum* (hookworm), the removal and control of adult *Toxocara canis* and *Toxascaris leonina* (roundworms) and *Trichuris vulpis* (whipworm) and Lufenuron controls flea populations by preventing the development of flea eggs. Concurrent use of an adulticide product may be necessary for adequate control of adult fleas. Without concurrent use of an adulticide, adequate flea control may not be achieved in dogs that have repeated exposure to flea infested animals or environments.

Precautions

Do not use in puppies less than four weeks of age and less than two pounds of body weight. Prior to administration of SENTINEL FLAVOR TABS, dogs should be tested for existing heartworm infections. Infected dogs should be treated to remove adult heartworms and microfilariae prior to initiating treatment with SENTINEL FLAVOR TABS. Mild, transient hypersensitivity reactions manifested as labored respiration, vomiting, salivation and lethargy have been noted in some treated dogs carrying a high number of circulating microfilariae. These reactions are presumably caused by release of protein from dead or dying microfilariae.

Adverse Reactions

The following adverse reactions have been reported in dogs after giving milbemycin oxime or lufenuron: vomiting, depression/lethargy, pruritus, urticaria, diarrhea, anorexia, skin congestion, ataxia, convulsions, hypersalivation and weakness. To report suspected adverse drug events, contact Virbac at 1-800-338-3659. For additional information about adverse drug experience reporting for animal drugs, contact FDA at 1-888-FDA-VETS or <http://www.fda.gov/AnimalVeterinary/SafetyHealth>.

Efficacy of Milbemycin Oxime

Milbemycin oxime provided complete protection against heartworm infection in both controlled laboratory and clinical trials. In laboratory studies, a single dose of milbemycin oxime at 0.5 mg/kg was effective in removing roundworm, hookworm and whipworm.

Efficacy of Lufenuron

Lufenuron provided 99% control of flea egg development for 32 days following a single dose of lufenuron at 10 mg/kg in studies using experimental flea infestations.

Safety of Milbemycin Oxime

Milbemycin oxime has been tested safely in over 75 different breeds of dogs, including collies, pregnant females, breeding males and females, and puppies over two weeks of age. In well-controlled clinical field studies 786 dogs completed treatment with milbemycin oxime. Milbemycin oxime was used safely in animals receiving frequently used veterinary products such as vaccines, anthelmintics, antibiotics, steroids, flea collars, shampoos and dips.

Safety of Lufenuron

Lufenuron tablets have been used and tested safely in over forty breeds of dogs, including pregnant females, breeding males and puppies over six weeks of age. In well-controlled clinical trials, 151 dogs completed treatment with lufenuron tablets. Lufenuron tablets were used safely in animals receiving frequently used veterinary products such as vaccines, anthelmintics, antibiotics and steroids.

Dosage

SENTINEL FLAVOR TABS are given orally, once a month, at the recommended minimum dosage. Dogs over 100 lbs are provided the appropriate combination of tablets. See the full package insert for dosage recommendations. <http://www.sentinelpet.com>

SENTINEL FLAVOR TABS must be administered monthly, preferably on the same date each month. Treatment with SENTINEL FLAVOR TABS may begin at any time of year. In geographic areas where mosquitoes and fleas are seasonal, the treatment schedule should begin one month prior to the expected onset and should continue until the end of "mosquito and flea season." In areas with year-round infestations, treatment should continue through the entire year without interruption.

© 2015 Virbac Corporation. All Rights Reserved.

SENTINEL and FLAVOR TABS are registered trademarks of Virbac Corporation

Manufactured for: Virbac AH, Inc.,

P.O. Box 162059, Ft. Worth, TX 76161

NADA #141-084, Approved by FDA

04/15

DON'T LET PARASITES COME BETWEEN YOU AND YOUR DOG.

Prevent and control pests altogether.

- ▶ The **ONLY** heartworm medicine that uses lufenuron to stop fleas before they start
- ▶ Protects against 5 different parasites, including fleas and heartworms
- ▶ Available in a tasty, crunchy, pork-liver flavored tablet
- ▶ One tablet, once every 30 days, provides year-round protection

See what may be
creeping in your home.

Use your smartphone to scan the QR code or visit www.sentinelpet.com/click-play-learn.



sentinel^{flavor}
tabs[®]
(milbemycin oxime+lufenuron)

Talk to your veterinarian today about one-of-a-kind parasite coverage. Because there's nothing you won't do for your best friend.

Dogs should be tested for heartworm prior to use. In a small percentage of treated dogs, digestive, neurologic, and skin side effects may occur. Please see full product insert for more information, or visit www.sentinelpet.com.

References: **1.** Data on file. Virbac Corporation. **2.** Heartworms. Pets & Parasites website. <http://www.petsandparasites.org/dog-owners/heartworms>. Accessed April 25, 2016. **3.** Companion Animal Parasite Council (CAPC). Whipworms. <http://www.capcvet.org/capc-recommendations/whipworms>. Accessed April 27, 2016. **4.** Roundworms. Pets & Parasites website. <http://www.petsandparasites.org/dog-owners/roundworms>. Accessed April 27, 2016. **5.** Hookworms. Pets & Parasites website. <http://www.petsandparasites.org/dog-owners/hookworms>. Accessed April 27, 2016.

Virbac

Shaping the future of animal health